

# TH25

series



## Product Segments


### • Comfort Motion

Connected actuators	1~4
Maximum available buttons	17
Color for housing	black, white, or silver
Color for rubber grip	black, grey, or yellow
After-process methods for buttons	silkscreen or dispensing
Option	RF, backup battery, back light

---

## Drawing

Standard Dimension



---

## Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application.

Due to continuous development in order to improve our products, TiMOTION products are subject to frequent modifications and changes without prior notice.

TiMOTION reserves the right to discontinue the sale of any products displayed on its website or listed in its catalogue or other written materials drawn up by TiMOTION.

# TH25 Ordering Key

TH25

Version: 20130510-C

<input type="checkbox"/>	<b>Frequency</b>	0 = Without RF function	1 = 315MHz	2 = 433MHz	
<input type="checkbox"/>	<b>Number of Actuators</b>	1 = 1	2 = 2	3 = 3	4 = 4
<input type="checkbox"/>	<b>Plug</b>	5 = RJ 10pin, 180°, for extension cable 6 = RJ 10pin, 90°		A = Customized	
<input type="checkbox"/>	<b>Color (Housing)</b>	1 = Black, glossy 2 = Black, leather paint	3 = White, glossy 4 = Silver, matte (Pantone 424C)	A = Customized	
<input type="checkbox"/>	<b>Color (For Rubber Grip)</b>	1 = Black 2 = Grey (Pantone cool gray 8C)	3 = Yellow (Pantone 123C)	A = Customized	
<input type="checkbox"/>	<b>After-Process Methods for Buttons</b>	1 = Silkscreen	2 = Dispensing	A = Customized	
<input type="checkbox"/>	<b>Key Definition</b>	A = Customized			
<input type="checkbox"/>	<b>Cable Length</b>	1 = Straight, 4500mm	A = Customized		